

**EMBARGOED FOR RELEASE: Tuesday, March 28, 2023, 5 a.m. Eastern Time**

*Note to journalists: Please report that this research will be presented at a meeting of the American Chemical Society.*

## Pulsing ultrasound waves could someday remove microplastics from waterways

INDIANAPOLIS, March 28, 2023 — Colorful particles of plastic drift along under the surface of most waterways, from headwater streams to the Arctic Ocean. These barely visible microplastics — less than 5 mm wide — are potentially harmful to aquatic animals and plants, as well as humans. So, researchers are devising ways to remove them and to stop them at their source. Today, a team reports a two-stage device made with steel tubes and pulsing sound waves that removes most of the plastic particles from real water samples.

The researchers will present their results at the spring meeting of the American Chemical Society (ACS). ACS Spring 2023 is a hybrid meeting being held virtually and in-person March 26–30, and features more than 10,000 presentations on a wide range of science topics.

“The idea came from a discussion with a colleague who said that we need new ways to collect microplastics from water,” says Menake Piyasena, Ph.D., the project’s principal investigator.

“Because acoustic forces can push particles together, I wondered if we could use them to aggregate microplastics in water, making the plastic easier to remove.”



Microplastics naturally scatter in flowing water (left), but after turning on sound waves, the particles concentrate along the tube’s sides (right), making them easier to remove.

Credit: Menake Piyasena

[Click here to download the image.](#)

Filtration is the most commonly used technique for removing these materials from water. For example, washing machine outlet filters can keep fibers that slough off clothes during washing from entering wastewater. But this method can be costly on a large scale, requiring regular cleaning of the filters, which can get clogged.

Another option could be concentrating plastic particles in flowing water with acoustic forces, or sound waves, that transfer energy to nearby particles, causing some of them to vibrate and move. Just think of a speaker playing loud music that shakes the ground, bouncing flecks of dust and dirt toward each other. Scientists have already been using this phenomenon to separate biological particles from liquids, such as red blood cells from plasma.

Recently, some teams have applied this approach to the separation of microplastics from samples they prepared in the lab with pure water. But this work was done with tiny volumes of water. They also used microplastics that were only tens of microns wide — smaller than the width of human hair, explains Nelum Perera, a graduate student in Piyasena’s lab at New Mexico Tech.

American Chemical Society

1155 Sixteenth Street, N.W., Washington, D.C. 20036 T (800) 333-9511 [www.acs.org](http://www.acs.org)

#23-010

Released: 03/28/2023

"I read that most of the microplastics in the environment are larger than that," says Perera, who is presenting the work. "So, I wanted to develop a device that could be useful for most of the sizes and could be scaled up to meet real-world goals."

To accommodate higher water flow rates, Perera created a proof-of-concept device with 8-mm-wide steel tubes connected to one inlet tube and multiple outlet tubes. Then she attached a transducer to the metal tube's side. When the transducer was turned on, it generated ultrasound waves across the metal tube, applying acoustic forces onto microplastics as they passed through the system, making them easier to capture. The prototype device is relatively simple compared to traditional filtration methods, Piyasena explains, because it doesn't clog as easily as a filter.

In initial experiments with polystyrene, polyethylene and polymethyl methacrylate microplastics, the researchers discovered that smaller (6- to 180- $\mu\text{m}$ -wide) particles behaved differently than the larger (180- to 300- $\mu\text{m}$ -wide) ones in the presence of acoustic forces. Spiked into pure water, particles of both sizes arranged along the center of the channel, exiting through the middle outlet, while clean water flowed out the surrounding outlets. But if laundry detergent or fabric softener were added to the water, the larger particles focused toward the sides, exiting through the side outlets, and purified water out the middle outlet.

Based on these results, the researchers set out to develop a system that could take advantage of these differing movements. They connected two steel tubes in tandem: The first stage captured small microplastics less than 180  $\mu\text{m}$  wide, and the water stream with the remaining larger microplastics went to the second stage to be cleaned. "We removed more than 70% of the small plastics and more than 82% of the large ones this way," says Perera.

To show that the two-stage system could work for real-world applications, Perera and Piyasena collected water from a pond on the New Mexico Tech campus and from the Rio Grande River. They filtered all of the samples to remove large contaminants, leaving behind water that still contained dissolved substances that could have affected the separation. Next, they spiked the water with microplastics. When the environmental water samples went through the acoustics device, plastic particles were removed as effectively as from pure water. With this prototype, Perera estimates it would cost around 7 cents to operate the current device for an hour and take around an hour and a half to clean one liter of water.

The team's next step is to develop a system with wider tubes, or bundles of multiple tubes, and to try it on unspiked real-world samples, including ocean water and wastewater from washing machines. "We have shown that acoustic forces can be used to concentrate a wide range of microplastic sizes," says Piyasena. "And from here, we want to prove that this can be done on a larger scale with real samples that already have microplastics in them."

*The researchers do not cite a funding source for this research.*

**A recorded media briefing on this topic will be posted Tuesday, March 28, by 10 a.m. Eastern time at [www.acs.org/acsspring2023briefings](http://www.acs.org/acsspring2023briefings). Reporters can request access to media briefings during the embargo period by contacting [newsroom@acs.org](mailto:newsroom@acs.org).**

For health and safety information for ACS Spring 2023, please visit the [FAQ webpage](#).

The American Chemical Society (ACS) is a nonprofit organization chartered by the U.S. Congress. ACS' mission is to advance the broader chemistry enterprise and its practitioners for the benefit of Earth and all its people. The Society is a global leader in promoting excellence in science education and providing access to chemistry-related information and research through its multiple research solutions, peer-reviewed journals, scientific conferences, eBooks and weekly news periodical *Chemical*

**American Chemical Society**

1155 Sixteenth Street, N.W., Washington, D.C. 20036 T (800) 333-9511 [www.acs.org](http://www.acs.org)

& *Engineering News*. ACS journals are among the most cited, most trusted and most read within the scientific literature; however, ACS itself does not conduct chemical research. As a leader in scientific information solutions, its CAS division partners with global innovators to accelerate breakthroughs by curating, connecting and analyzing the world's scientific knowledge. ACS' main offices are in Washington, D.C., and Columbus, Ohio.

To automatically receive press releases from the American Chemical Society, contact [newsroom@acs.org](mailto:newsroom@acs.org).

Follow us:    

###

RESEARCHER CONTACT:

Menake Piyasena, Ph.D.  
New Mexico Institute of Mining and Technology  
Socorro, NM 87801  
Phone: 575-835-6162  
Email: [sesathpura.piyasena@nmt.edu](mailto:sesathpura.piyasena@nmt.edu)

ACS CONTACTS:

ACS Newsroom  
[newsroom@acs.org](mailto:newsroom@acs.org)

Katie Cottingham, Ph.D.  
202-236-5115 (Cell)  
[k\\_cottingham@acs.org](mailto:k_cottingham@acs.org)

**American Chemical Society**

1155 Sixteenth Street, N.W., Washington, D.C. 20036 T (800) 333-9511 [www.acs.org](http://www.acs.org)

#23-010

Released: 03/28/2023

**Title**

Removal of environmentally relevant microplastics using acoustic forces and steel tubes

**Abstract**

A massive amount of plastic waste is released into the environment every year. These plastics degrade anthropogenically and naturally, resulting in fragments of plastics smaller than 5 mm in size, known as microplastics (MPs). The imminence levels of MPs accumulated in aquatic systems can pass into animal organs and cause health concerns, posing threats to life on earth. A broad range of sizes of MPs is found in the environment. Most MPs are large and suspended in aqueous media with different densities. Current MPs removal methods are ineffective for removing all MP sizes and types simultaneously, and they are not real-time or cost-effective. New isolation methods for MPs of varying sizes suspended in aqueous media with different densities must be explored to overcome these limitations. Acoustic forces can be used to manipulate particles suspended in aqueous media. Applying acoustic waves across a resonating chamber generates acoustic radiation forces on particles flowing through the chamber. These forces can focus particles onto different planes of the acoustic wave. In this presentation, we will discuss the development of acoustic devices made of steel tubes that can be used to remove various MP types and sizes suspended in aqueous media with varying densities. We will show the unique behavior of MPs of the same material yet different sizes in an applied acoustic field. We will also show the effect of medium density on particle focusing. Finally, we will discuss how we utilize these findings to design an acoustofluidic separation method to isolate the three most common MPs types in nature.